

# PRE-CAP MONITORING REPORT

YARBORO PROPERTY 2205 OAK HILL DRIVE GREENSBORO, NORTH CAROLINA

APRIL 2, 1997

LEGACY ENVIRONMENTAL SERVICES, INC.





# LEGACY ENVIRONMENTAL SERVICES, INC.

P.O. Box 4560, Greensboro, NC 27404-4560, Phone (910) 316-0452, FAX (910) 299-1961

April 2, 1997

Melvin Yarboro 1072 Tarry Road Star, North Carolina 27356

Reference: Pre-CAP Monitoring Report

Yarboro Property 2205 Oak Hill Drive

Greensboro, North Carolina

Groundwater Incident Number 10017

Dear Mr. Yarboro,

Please find enclosed a report summarizing the sampling and analyses of all monitoring wells located at the above referenced facility. These activities were conducted in order to obtain time based data concerning petroleum constituents in the groundwater. This report contains the results from laboratory analyses of groundwater samples collected from six monitoring wells previously installed at this facility.

Mr. Yarboro, if you have any questions concerning this report, please contact our office.

Sincerely,

Brandon Moore, Staff Geologist

rand Mane

Henry Nemargut, P.E.

Legacy Environmental Services, Inc.

R97-128

# TABLE OF CONTENTS

		•	Page
1.0		Background	1
	1.1 1.2	Introduction Scope of Services	1
2.0		Field Activities	1
	2.1 2.2 2.3 2.4	Groundwater Flow Direction and Gradient Dissolved Oxygen Survey Monitor Well Sampling and Analyses Plume Development	1 2 2 3
3.0		Conclusions and Recommendations	3
	3.1 3.2 3.3	Conclusions Recommendations Limitations	3 4 4
4.0		Professional Certification	4
		LIST OF FIGURES	
Figure 1: Figure 2: Figure 3: Figure 4: Figure 5: Figure 6: Figure 7:		Project Location Site Layout and Monitor Well Locations Potentiometric Surface Map (2/24/97) Dissolved Oxygen Concentration Map 2-Ethylhexyl Phthalate Isoconcentration Map Total TICs Isoconcentration Map Total TICs Concentration vs. Time	
		LIST OF TABLES	
Table 1: Table 2: Table 3:		Groundwater and Monitor Well Information Summary of Analytical Results Time Based Laboratory Analytical Results	
		ATTACHMENTS	
Attachment A	<b>\:</b>	Laboratory Analytical Reports	

# PRE-CAP MONITORING REPORT NCDEHNR INCIDENT NUMBER 10017

# Yarboro Property 2205 Oak Hill Drive Greensboro, North Carolina

# 1.0 Background

## 1.1 <u>Introduction</u>

Melvin Yarboro owns a property located at 2205 Oak Hill Drive in Greensboro, North Carolina. This facility contains one permanent structure used for residence. The site previously contained one 550 gallon heating oil Underground Storage Tank (UST). Figure 1 illustrates the location of this facility on the Greensboro Quadrangle U.S.G.S. Topo Map. The UST was removed from the site on February 24, 1993. Following tank removal and site assessment, soil and groundwater contamination were found to exist at this facility. Legacy's Comprehensive Site Assessment (CSA) for this site was submitted to the NCDEM on March 10, 1995. Figure 2 illustrates the layout of this site, the former UST location, and the monitor well locations. This report contains findings reached following re-sampling of all existing wells. This sampling event was conducted to determine the effect of time on the contaminant plume located at 2205 Oak Hill Drive.

# 1.2 Scope of Services

Legacy has been contracted by Melvin Yarboro to conduct monitoring, sampling, and reporting for this facility. This report contains a summary of the following activities conducted during February of 1997:

- o A comprehensive monitor well sampling event conducted by Legacy on February 24, 1997.
- o A dissolved oxygen (DO) survey conducted at the project site by Legacy.
- o Results from laboratory analyses of groundwater samples conducted by Froehling and Robertson, Inc. in Richmond, VA.
- The approximate groundwater flow direction and hydraulic gradient at the site calculated by Legacy.
- o Isoconcentration maps illustrating the current contaminant levels in the monitoring wells at the site prepared by Legacy.

# 2.0 Field Activities

## 2.1 Ground Water Flow Direction and Gradient

In order to estimate the groundwater flow direction in the vicinity of the petroleum release, elevations of the monitor well casings were measured using surveying equipment. Static water levels were then obtained from each of the wells and the data was used to compute a potentiometric surface map which is included as Figure 3.

Groundwater data and monitoring well information, which are summarized in Table 1, were also used to estimate the hydraulic gradient at the project site. Using the horizontal distance between the monitor wells and the static water levels, the groundwater was estimated to be flowing in an eastern direction with a hydraulic gradient of approximately 0.056 ft/ft.

# 2.2 <u>Dissolved Oxygen Survey</u>

To help determine if natural biodegradation is occurring at the project site, the shallow monitor wells in the vicinity of the petroleum release were surveyed for dissolved oxygen (DO) levels. The results of the survey are depicted graphically on the Figure 4 dissolved oxygen distribution map. The results indicate reduced DO levels in the two impacted wells (MW-1 and MW-5), with significant amounts of dissolved oxygen noted in the surrounding wells. The map appears to indicate that natural biodegradation is occurring at the project site.

# 2.3 <u>Monitor Well Sampling and Analyses</u>

On February 24, 1997 all on-site monitor wells were sampled for analyses utilizing EPA Methods 602 + Xylenes, 625 + 10 largest peaks, and Method 3030C for lead. Before sampling, the monitor wells were purged by removing a minimum of three well volumes to ensure that the samples were representative of the actual groundwater conditions. The wells were developed using disposable plastic balers suspended with unused nylon string. Following development of the groundwater monitoring wells, samples were obtained from the disposable balers.

All samples were placed in laboratory supplied glassware, labeled with sample location, analysis to be performed, time, date and sampler's name. The sample jars were then immediately placed in a cooler, chilled with ice to approximately 4°C in preparation of transportation to an analytical laboratory utilizing EPA approved chain-of-custody procedures.

Results from the analytical laboratory indicated the presence of one petroleum compound in the groundwater samples above current listed 2L Standards. Benzene, Toluene, Ethylbenzene, and total Xylenes were below their respective 2L Standards in all six monitor wells. 2-Ethylhexyl Phthalate was detected in MW-5 at a level of 24.1 ppb, which is above the 2L Standard of 3 ppb. Naphthalene was detected in MW-1 and MW-5, and Di-n-Octylphthalate was reported in MW-5. The levels detected for these two compounds were below the current 2L Standards. Several Dichlorobenzene compounds were reported in MW-1 and MW-5; however, no 2L Standard has been established for these compounds. No other compounds were detected above laboratory detection limits in any of the monitor wells.

Ten tentatively identified compounds (TICs) were detected in MW-1 with a total concentration of 218.3 ppb, and MW-5 showed a TIC total concentration of 121.82 ppb. No TICs were reported in any of the other four monitor wells at the site. TICs currently do not have a 2L Standard.

The extent of dissolved petroleum constituents in the groundwater are illustrated on Figures 5 and 6. A 2-Ethylhexyl Phthalate isoconcentration map is included as Figure 5, and Figure 6 contains a total TICs isoconcentration map. Table 2 summarizes the analytical results for the groundwater samples collected on February 24, 1997. A copy of the analytical reports and the chain of custody records for the groundwater samples are contained in Appendix A.

# 2.4 <u>Plume Development</u>

Total BTEX concentrations have shown no change in concentration since the May, 1996 sampling event. BTEX levels were below 2L standards for all wells during both sampling events. However, Tentatively Identified Compounds have increased in concentration in MW-5 since the previous sampling event. During the May, 1996 sampling event MW-1 was the only well showing a detectable TICs concentration, but during the sampling event on February 24, 1997, TICs were detected in MW-5 at a total concentration of 121.82 ppb. 2-Ethylhexyl Phthalate was also detected in MW-5 on February 24, 1997; this compound was not previously detected at the site. Table 3 contains the time based analytical results for Total TICs, and Figure 7 illustrates the same information graphically. The figure and graph referenced above indicate that the contaminant plume at 2205 Oak Hill Drive is migrating down-gradient toward MW-5.

# 3.0 Conclusions, Recommendations, and Limitations

# 3.1 <u>Conclusions</u>

From a review of all information gathered during Pre-CAP monitoring activities, the following conclusions are noted by Legacy:

- 2-Ethylhexyl Phthalate was detected above its 2L Standard in the groundwater samples at the project site. Total TICs and Dichlorobenzene were detected in MW-1 and MW-5; these compounds currently do not have 2L Standards.
- A DO survey conducted at the site revealed decreased DO levels in impacted wells and significant DO levels in surrounding wells, indicating that natural biodegradation is occurring at the project site.
- The contaminant plume at 2205 Oak Hill Drive is migrating down-gradient over time. The TICs concentration in MW-5 (located 12' down-gradient from the source) increased between the 1996 sampling event and the February 24, 1997 sampling event.

## 3.2 Recommendations

Legacy recommends implementation of a Corrective Action Plan which is currently being prepared by Legacy Environmental Services for 2205 Oak Hill Drive. A copy of this monitoring report should be forwarded to the following address:

Guilford County Department of Public Health (GCDPH) 301 N. Eugene Street Greensboro, North Carolina 27401

## 3.3 Limitations

This report has been prepared for the exclusive use of Melvin Yarboro for the specific application to the referenced site located in Guilford County, North Carolina. The assessment was conducted based on the scope of work and level of effort desired by the Our findings have been developed in accordance with generally accepted standards in the practice of Pre-CAP Monitoring in the State of North Carolina, available information and our professional judgement. No other warranty is expressed or implied.

The data presented in this report are indicative of conditions that existed at the precise locations sampled and at the time the samples were collected. Additionally, the data obtained from the samples would be interpreted as meaningful with respect to the parameters indicated in the laboratory reports. No additional information can be logically inferred form this data.

## 4.0 **Professional Certification**

The Pre-CAP Monitoring Report for this site has been prepared by Legacy Environmental Services, Inc. under the direct supervision of licensed engineers or geologists. Technical review of this document has been provided by Henry Nemargut Engineering Services. All engineering work performed on this project was conducted under my direct supervision:


Henry Nemargut, P.E.


Henry Nemargut Engineering Services North Carolina License #17669


17669


**FIGURES** 

















**TABLES** 

# TABLE 1

# Monitoring Well Information and Groundwater Elevations

2205 Oak Hill Drive Guilford County, Greensboro, North Carolina

Depth to Water   Groundwater Elevation	86.64	88.76	83.22	84.29	85.42	86.37
	12.00	11.24	11.70	10.71	12.27	12.13
Bottom of Screen Elevation	64.64	00.99	60.92	61.00	69:09	73.50
ion   Top of Screen Elevation	84.64	00:98	80.92	71.00	69:08	88.50
Top of Casing Elevation	98.64	100.00	94.92	95.00	69:26	98.50
Well Number	MW-1	MW-2	MW-3	MW-4	MW-5	9-MM

All measurements taken in feet on 2/24/97 and based on an arbitrary benchmark of 100.00 feet at MW-2.

X97-119A

# TABLE 2

# Summary of Groundwater Laboratory Analytical Results

# 2205 Oak Hill Drive Greensboro, Guilford County, North Carolina

CONSTITUENT	WW-1	MW-1   MW-2	MW-3	MW-4	MW-3   MW-4   MW-5   MW-6	MW-6	21. Standard
Date	2/24/97	2/24/97	2/24/97	2/24/97	2/24/97	2/24/97	
Benzene	BDL	BDL	BDL	BDL	BDL	BDL	1.
Toluene	BDL	BDL	BDL	BDL	TOR	TOR	1,000
Ethylbenzene	4	TOS	BDL	BDL	1	TOB	29
Xylenes (total)	24	TOS	BDL	BDL	30	TOR	530
BTEX (total)	28	BDF	BDL	BDL	31	TOB	NSE
1,2 Dichlorobenzene	10	TOS	BDL	BDL	4	TOB	NSE
1,3 Dichlorobenzene	4	BDL	BDL	BDL	3	BDL	NSE
1,4 Dichlorobenzene	12	BDL	BDL	BDL	(19	BDL	NSE
2-Ethylhexyl Phthalate	BDL	BDL	BDL	BDL	24.1	BDL	3
Di-n-Octylphthalate	BDL	TOE	BDL	BDL	10.7	BDL	140
Naphthalene	13.4	BDL	BDL	BDL	13.4	BDL	21
TICs (total)	218.3	BDL	BDL	BDL	121.82	BDL	NSE
Lead	1	2	1	BDL	BDL	2	15

All results reported in micrograms per liter (ug/l)

BDL = Below Detection Limits

TICs = Total Tentatively Identified Compounds

NSE = No Standard Established

# TABLE 3

# Time Based Laboratory Analytical Results - Total TICs

# 2205 Oak Hill Drive Greensboro, North Carolina

	9-7	¥.		
	NW-6	N/A	٥	0
	MW-5	0 .	0	121.82
ration	MW-4	. 0	0	0
Total TICs Concentration	MW-3	0	0	0
Total T	MW-2	- 0	0	0
	I-MM	661	272.5	218.3
İ	Date of Sampling	3/18/94-2/1/95	5/31/96	2/24/97

All results reported in micrograms per liter (ug/l) TICs = Tentatively Identified Compounds

N/A = Data not available for this sampling event

X97-119

# ATTACHMENT A LABORATORY ANALYTICAL RESULTS

SINCE

1881

# FROEHLING & ROBERTSON, INC.

GEOTECHNICAL . ENVIRONMENTAL . MATERIALS **ENGINEERS • LABORATORIES** 

"OVER ONE HUNDRED YEARS OF SERVICE"

# **CERTIFICATE OF ANALYSIS**

March 3, 1997

Page 1 of 7

LAB #:

9702139

**CLIENT:** 

Legacy Environmental Services, Inc.

P.O. Box 4560

Greensboro, NC 27404-4560

Attn: Christine Simons

PROJECT:

Yarboro Property

PROJECT #:

P-342 N

SAMPLES COLLECTED BY:

C. Simons

LAB RECEIPT:

02/25/97, 0935

PARAMETER	ANALYSIS DATE/TIME	METHOD	<u>ANALYST</u>
Purgeable Aromatics	02/27/97, 0928	EPA 602	DP
Semivolatile Extraction BN	02/25/97, 1410	EPA 625 BN	DG
Semivolatile Organic Compounds	02/26/97, 1527	EPA 625 BN	EVY
Library Search	02/26/97, 1527		EVY
Lead	02/27/97, 1430	SM18/3113 B	RHS
Digestion-Groundwater	02/26/97, 0915	SM18/3030 C	TS

Results appear on the following pages.

Audrey N. Brubeck Laboratory Manager

AB/psg

HEADQUARTERS: 3015 DUMBARTON ROAD • BOX 27524 • RICHMOND, VA 23261-7524

TELEPHONE (804) 264-2701 • FAX (804) 264-1202

BRANCHES:

ASHEVILLE, NC . BALTIMORE, MD . CHARLOTTE, NC . CHESAPEAKE, VA CROZET, VA • FAYETTEVILLE, NC • FREDERICKSBURG, VA • GREENVILLE, SC RALEIGH, NC • ROANOKE, VA • STERLING, VA • WINSTON-SALEM, NC

Brubick/gal





# **RESULTS:**

F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-01 MW #1 02/24/97, 1200 Water/Grab	9702139-02 MW #2 02/24/97, 1045 Water/Grab	9702139-03 MW #3 02/24/97, 1100 Water/Grab	
Semivolatile Organic Compounds (µg/L)	1			Det'n Limit:
	BDL	BDL	BDL	10
Acenaphtheles	BDL	BDL	BDL	10
Acenaphthylene Anthracene	BDL	BDL.	BDL	10
Benzidine	BDL	BDL	BDL	10
Benzo(a)anthracene	BDL	BDL	BDL	10
Benzo[a]pyrene	BDL	BDL	BDL	10
Benzo[b]fluoranthene	BDL	BDL	BDL	10
Benzo[g,h,i]perylene	BDL ;	BDL	BDL	10
Benzo[k]fluoranthene	BDL.	BDL	BDL	10
bis(2-Chloroethoxy)methane	BDL	BDL	BDL	10
bis(2-Chloroethyl)ether	BDL	BDL	BDL	10
bis(2-chloroisopropyl)ether	BDL :	BDL	BDL.	10
bis(2-Ethylhexyl)phthalate	BDL	BDL	BDL	10
4-Bromophenyl-phenylether	BDL	BDL	BDL	10
Butylbenzylphthalate	BDL	BDL	BOL	10
2-Chloronaphthalene	BDL	BDL	BDL	10
4-Chlorophenyl-phenylether	BDL	BDL	BDL	10
Chrysene	BDL	BDL	BDL	10
Dibenz[a,h]anthracene	BDL	BDL	BDL.	10
1,2-Dichlorobenzene	BDL	BDL.	BDL	10
1,3-Dichlorobenzene	BDL	BDL	BDL	10
1,4-Dichlorobenzene	BDL	BDL	BDL	10
3,3'-Dichlorobenzidine	BDL	BDL	BDL	10
Diethylphthalate	BDL :	BDL	BDL	10
Dimethylphthalate	BDL	BDL	BDL.	10
Di-n-butylphthalate	BDL	BDL	BDL	10
2,4-Dinitrotoluene	BDL	BDL	BDL	10
2,6-Dinitrotoluene	BDL	BDL	BDL	10
Di-n-octylphthalate	BDL	BDL	BDL	10
Fluoranthene	BDL :	BDL	BDL	10
Fluorene	BDL	BDL	BDL	10
Hexachlorobenzene	BDL	BDL	BDL	10
Hexachlorobutadiene	BDL	BDL	BDL	10
: IQAQQIIIQI ODGMGIOIIQ				

**BDL** = Below Detection Limit

 $\mu$ g/L = microgram per Liter





# **RESULTS:**

F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-01 MW #1 02/24/97, 1200 Water/Grab	9702139-02 MW #2 02/24/97, 1045 Water/Grab	9702139-03 MW #3 02/24/97, 1100 Water/Grab	
				Det'n Limit:
Semivolatile Organic Compounds	(μg/L) (cont.)			
Hexachlorocyclopentadiene	BDL	BDL	BDL	10
Hexachloroethane	BDL	BDL	BDL	10
Indeno[1,2,3-cd]pyrene	BDL	BDL	BDL	10
Isophorone	BDL	BDL.	BDL	10
Naphthalene	13.4	BDL	BDL	10
Nitrobenzene	BDL	BDL	BDL	10
n-Nitroso-di-n-propylamine	BDL	BDL	BDL	10
n-Nitrosodiphenylamine	BDL	BDL	BDL	10
Phenanthrene	BDL	BOL	BDL	10
Pyrene	BDL	BDL	BDL	10
1,2,4-Trichlorobenzene	BDL	BDL	BDL	10
Lead (mg/L)	0.001	0.002	0.001	0.001
BDL = Below Detection Limit	μ <b>g/L</b> = microgram per	Liter	mg/L = milligra	m per Liter





# RESULTS:

F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-04 MW #4 02/24/97, 1050 Water/Grab	9702139-05 MW #5 02/24/97, 1130 Water/Grab	9702139-06 MW #6 02/24/97, 1115 Water/Grab	
				Det'n Limit:
Semivolatile Organic Compounds (μg/L)				
Acenaphthene	BDL	BDL	BDL	10
Acenaphthylene	BDL	BDL	BDL	10
Anthracene	BDL	BDL	BDL	10
Benzidine	BDL	BDL	BDL	10
Benzo[a]anthracene	BDL	BDL.	BDL.	10
Benzo[a]pyrene	BDL	BDL	BDL	10
Benzo[b]fluoranthene	BDL	BDL	BDL	10
Benzo[g,h,i]perylene	BDL	BDL	BDL	10
Benzo[k]fluoranthene	BDL.	BDL	BDL	10
bis(2-Chloroethoxy)methane	BDL	BDL	BDL	10
bis(2-Chloroethyl)ether	BDL	BDL	BDL	10
bis(2-chloroisopropyl)ether	BDL	BDL	BDL	10
bis(2-Ethylhexyl)phthalate	BDL :	24.1	BDL	10
4-Bromophenyl-phenylether	BDL	BDL	BDL	10
Butylbenzylphthalate	BDL	BDL	BDL	10
2-Chloronaphthalene	BDL	BDL	BDL	10
4-Chlorophenyl-phenylether	BDL	BDL	BDL	10
Chrysene	BDL	BDL	BDL	10
Dibenz[a,h]anthracene	BDL	BDL	BDL	10
1,2-Dichlorobenzene	BDL	BDL	BDL	10
1,3-Dichlorobenzene	BDL	BDL	BDL	10
1,4-Dichlorobenzene	BDL	BDL	BDL	10
3,3'-Dichlorobenzidine	BDL	BDL	BDL	10
Diethylphthalate	BDL	BDL	BDL	10
Dimethylphthalate	BDL	BDL	BDL	10
Di-n-butylphthalate	BDL	BDL	BDL	10
2,4-Dinitrotoluene	BDL	BDL	BDL	10
2,6-Dinitrotoluene	BDL	BDL	BDL	10
Di-n-octylphthalate	BDL.	10.7	BDL	10
Fluoranthene	BDL	BDL	BDL	10
Fluorene	BDL	BDL	BDL	10
Hexachlorobenzene	BDL	BDL	BDL	10
Hexachlorobetizette Hexachlorobutadiene	BDL	BDL	BDL	10

BDL = Below Detection Limit

 $\mu$ g/L = microgram per Liter





RESULTS	
---------	--

F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-04 MW #4 02/24/97, 1050 Water/Grab	9702139-05 MW #5 02/24/97, 1130 Water/Grab	9702139-06 MW #6 02/24/97, 1115 Water/Grab	
				Det'n Limit:
Semivolatile Organic Compound	is (μg/L) (cont.)			
Hexachlorocyclopentadiene	BDL	BDL	BDL	10
Hexachloroethane	BDL	BDL	BDL	10
	BDL.	BDL	BDL	10
Indeno[1,2,3-cd]pyrene	BDL	BDL	BDL	10
Isophorone	BDL	13.4	BDL	10
Naphthalene	BDL	BDL	BDL	10
Nitrobenzene	BDL	BDL	BDL	10
n-Nitroso-di-n-propylamine	BDL	BDL	BDL	10
n-Nitrosodiphenylamine	BDL	BDL	BDL	10
Phenanthrene	BDL	BDL	BDL	10
Pyrene	· · · · · · · · · · · · · · · · · · ·	BDL	BDL	10
1,2,4-Trichlorobenzene	BDL	DDL	55-	
Lead (mg/L)	BDL	BDL	0.002	0.001
BDL = Below Detection Limit	μ <b>g/L</b> = microgram per	Liter	mg/L = milligra	m per Liter





RESULTS:				
F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-01 MW #1 02/24/97, 1200 Water/Grab	9702139-02 MW #2 02/24/97, 1045 Water/Grab	9702139-03 MW #3 02/24/97, 1100 Water/Grab	
				Det'n Limit:
Purgeable Aromatics (µg/L)	!			
Benzene Toluene Ethylbenzene Total Xylenes Chlorobenzene 1,2-DCB 1,3-DCB 1,4-DCB	BDL BDL 4 24 BDL 10 4	BDL BDL BDL BDL BDL BDL BDL BDL	BDL BDL BDL BDL BDL BDL BDL BDL	1 1 3 1 1 1
F&R #: SAMPLE ID: DATE/TIME: TYPE:	9702139-04 MW #4 02/24/97, 1050 Water/Grab	9702139-05 MW #5 02/24/97, 1130 Water/Grab	9702139-06 MW #6 02/24/97, 1115 Water/Grab	
				Det'n Limit:
Purgeable Aromatics (µg/L)	į		•	
Benzene Toluene Ethylbenzene Total Xylenes Chlorobenzene 1,2-DCB 1,3-DCB 1,4-DCB	BDL BDL BDL BDL BDL BDL BDL BDL	BOL BDL 1 30 BDL 4 3	BDL BDL BDL BDL BDL BDL BDL BDL	1 1 1 3 1 1 1

BDL = Below Detection Limit

μg/L = microgram per Liter



Library Search
Tentatively Identified Compounds

	Tentatively Identified Compounds		
	Retention	Estimated	% Match
	Time	Conc. (µg/L)	
F&R ID: 9702139-01			
Compound			
Trimethyl-benzene	6.54	20.4	95
Trimethylbenzene	7.03	17.8	95
Dihydro-methylindene	9.07	21.5	94
Tridecane	11.15	28.0	95
Dodecane	12.49	34.8	91
Dimethyl-naphthalene	12.88	14.3	97
Pentadecane	13.75	29.4	94
Hexadecane	14.94	33.3	93
Heptadecane	16.07	18.8	98
F&R ID: 9702139-05		1	
Compound			
Dimethyl-benzene	4.83	11.2	95
Trimethyl-benzene	6.54	14.7	95
Trimethyl-benzene	7.03	17.1	97
Dihydro-methylindene	9.07	15.5	97
Tetrahydro-naphthalene	9.25	9.82	94
Methyl-naphthalene	11.44	17.9	97
Dimethyl-naphthalene	12.89	10.3	97
Methyl-naphthalene	11.21	25.3	95

No non-target compounds were detected in the library search for samples 9702139-02, 9702139-03, 9702139-04 and 9702139-06.



# LEGACY ENVIRONMENTAL SERVICES, INC.

P.O. Box 4560, Greensboro, NC 27404-4560, Phone (910) 316-0452, FAX (910) 299-1961

9	7	Ō	2	13	9
t t	- /	$\mathbf{v}$	مست	مد	Ì

# **CHAIN OF CUSTODY RECORD**

FACIL	ITY: Vactor	Property		LES	JOB#:	<i>-</i>	3	42	<u> </u>	· · · · · ·
SAMPLE	RS (Signature)	ton Sin	al Popo						•	
SAMPLE NUMBER	SAMPLE LOCA	· · · · · · · · · · · · · · · · · · ·	DATE	TIME	SAM WAT COMP		PE SOIL	NO. OF CONT.	1	SIS REQUIRED
n 20-1	monton well =	# /	2-24-97	12:00		Y		5	3030€() 635+10 1 62 + 1	(29 <b>0</b> ) 2934
NW-3		2	1	10:45		;			302 + X	y lones
nw-3	11	3	1	11.00					i	
nw-4	11	4		10:50					j	
n W-5		5		11/2/2						<u> </u>
nW-6		6	V	11:75		V			L	<del> </del>
. <u>.</u> .				miga:				- ,		
		<b>- v</b> -	12.	) E						· · · · · · · · · · · · · · · · · · ·
		Sar y	, ; = 1							
		<u></u>			_				1	
			4		ļ				<u> </u>	<u></u>
			į.					<u> </u>		··
			- 4		ļ				-	<del></del> _
_				ļ						
			7.		ļ <u>-</u>			ļ	<u> </u>	
										Date/Time
Relinquished by: (Signature)			Recei	Received by: (Signature)  2/25/97.0						
Relinquished by: (Signature)				Received by: (Signature)						
Relinquished by: (Signature)			Rece	Received by: (Signature)						
Methods of Shipment			Rece	Received for Laboratory by:						
Condit	tions upon receipt	,		Rema		 d_	0.0	~	10	<u>. l</u>